


Illustrated Price List

. of .

**Wicker and Cane** **Bath Chairs**



. . . and other . . .

**Requisites for Invalids.**

276a

WILLOW  
LIBRARY  
General Collections  
P  
645



22502688598

# Buff Wicker Invalid Carriage.

Ironwork and Wheels nicely Painted and Body Varnished.




FIG 1 B.

## No. 1 B.—With India-rubber Tyred Wheels.

|                                        |     |     |     |            |
|----------------------------------------|-----|-----|-----|------------|
| Small size, 23in. Wheels, 5/8in. Tyres | ... | ... | ... | 49/- each. |
| Medium size, 26in. " 3/4in. "          | ... | ... | ... | 62/9 "     |
| Large size, 28in. " 3/4in. "           | ... | ... | ... | 68/6 "     |

## No. 1 A. --With Best Quality Wood Carriage Wheels.

|             |     |     |     |     |     |     |            |
|-------------|-----|-----|-----|-----|-----|-----|------------|
| Small size  | ... | ... | ... | ... | ... | ... | 45/9 each. |
| Medium size | ... | ... | ... | ... | ... | ... | 52/6 "     |
| Large size  | ... | ... | ... | ... | ... | ... | 59/6 "     |

If with Self-guiding Front Wheel, 4/6 each quality and size extra.

# Buff Wicker Invalid Carriage.

Ironwork and Wheels nicely Painted and Body Varnished.

**BEST ELLIPTIC STEEL SPRINGS,**  
With Self-guiding Fronts.




FIG. 3 A.

## No. 3A—Best quality Rubber Tyred Wheels.

|                                                                                                           | Small.<br>23in. Wheels,<br>5/8in. Tyres. | Medium.<br>26in. Wheels,<br>3/4in. Tyres. | Large size.<br>28in. Wheels,<br>3/4in. Tyres. |
|-----------------------------------------------------------------------------------------------------------|------------------------------------------|-------------------------------------------|-----------------------------------------------|
| Not Upholstered, exact as illustration ...                                                                | 66/4                                     | 79/9                                      | 87/3 each.                                    |
| Patent Wired-on India-rubber Tyred Wheels ...                                                             | 2/3                                      | 3/6                                       | 3/6 extra.                                    |
| Upholstered throughout with Pegamoid Leather, and fitted }<br>with regular quality Waterproof Apron ... } | 22/-                                     | 24/9                                      | 29/3 "                                        |
| Carpet Mat ...                                                                                            | 2/-                                      | 2/-                                       | 2/- "                                         |
| Brass Collar to take place of Guiding Rod ...                                                             | 9d.                                      | 9d.                                       | 9d. "                                         |
| Cushion only ...                                                                                          | 3/-                                      | 3/-                                       | 3/6 "                                         |
| Apron only ...                                                                                            | 9/-                                      | 9/-                                       | 9/- "                                         |

## No. 3—Best quality Wood Carriage Wheels.

|                     | Small.<br>61/9 | Medium.<br>69/3 | Large size.<br>77/- each. |
|---------------------|----------------|-----------------|---------------------------|
| Not Upholstered ... |                |                 |                           |

## No. 6 Pattern Body on any of above qualities ... 3/9 each size extra.

|                                       | Small.<br>14in. | Medium.<br>16in. | Large size.<br>18in. |
|---------------------------------------|-----------------|------------------|----------------------|
| Width of seat inside ...              |                 |                  |                      |
| Extreme outside width of carriage ... | 25 1/2 in.      | 27 1/2 in.       | 29 1/2 in.           |

# Buff Wicker Invalid Carriage.

Ironwork and Wheels nicely Painted and Body Varnished.

**BEST ELLIPTIC STEEL SPRINGS,**

With Self-guiding Fronts.

REGISTERED PATTERN BODY, WITH  
WICKER MUDGUARDS.




FIG. 4 A.

NO. 6 PATTERN BODY SAME PRICES.

## No. 4a—Best quality Rubber Tyred Wheels.

|                                                                                                             | Small.<br>23in. Wheels,<br>5/8in. Tyres. | Medium.<br>26in. Wheels,<br>3/4in. Tyres. | Large size.<br>28in. Wheels,<br>3/4in. Tyres. |
|-------------------------------------------------------------------------------------------------------------|------------------------------------------|-------------------------------------------|-----------------------------------------------|
| Not Upholstered, exact as illustration ... ..                                                               | 68/9                                     | 83/3                                      | 90/6 each.                                    |
| Patent Wired-on India-rubber Tyred Wheels ... ..                                                            | 2/3                                      | 3/6                                       | 3/6 extra.                                    |
| Ditto ditto, 1in. Tyres instead of 5/8in. ... ..                                                            | 18/-                                     | 18/-                                      | 18/- "                                        |
| Upholstered throughout with Pegamoid Leather, and fitted<br>with best quality Waterproof Apron ... ..       | 22/-                                     | 24/9                                      | 29/3 "                                        |
| Aprons only ... ..                                                                                          | 9/-                                      | 9/-                                       | 9/- "                                         |
| Cushions only ... ..                                                                                        | 3/-                                      | 3/-                                       | 3/6 "                                         |
| Carpet Mat ... ..                                                                                           | 2/-                                      | 2/-                                       | 2/- "                                         |
| Brass Collar to take place of Guiding Rod ... ..                                                            | 9d.                                      | 9d.                                       | 9d. "                                         |
| Ball Bearing Side Wheels, 28in. to Medium Size, and 30in.<br>to Large size; 1in. Tyres ... ..               | 45/-                                     | 45/-                                      | 45/- "                                        |
| Double Tube Pneumatic Tyred Ball Bearing Side Wheels, to<br>either Medium or Large size ... ..              | 100/-                                    | 100/-                                     | 100/- "                                       |
| Hoods, detachable, made of fine quality India-rubber Cloth,<br>and large Brass Double Knuckle Joints ... .. | 90/-                                     | 90/-                                      | 90/- "                                        |
| American Cloth Hoods with Brass Joints to open ... ..                                                       | 46/-                                     | 52/-                                      | 58/- "                                        |
| Shafts for Pony, with necessary fittings to attach to guide<br>front in place of guide handle ... ..        | 50/-                                     | 50/-                                      | 50/- "                                        |

## No. 4—Best quality Wood Carriage Wheels.

|                                          | Small.<br>14in. | Medium.<br>16in. | Large size.<br>18in. |
|------------------------------------------|-----------------|------------------|----------------------|
| Not Upholstered ... ..                   | 64/2            | 72/6             | 80/6 each.           |
| Width of seat inside ... ..              | 14in.           | 16in.            | 18in.                |
| Extreme outside width of carriage ... .. | 25 1/2 in.      | 27 1/2 in.       | 29 1/2 in.           |

# Buff Wicker Invalid Carriage.

Ironwork and Wheels nicely Painted and Body Varnished.

## BEST STEEL CEE SPRINGS.

Braced with Stout Leather Straps.

Self-guiding Front.




FIG. 5

## Best Quality Rubber Tyred Wheels.

|                                                                                                          | Small.<br>23in. Wheels,<br>5/8in. Tyres. | Medium.<br>26in. Wheels,<br>3/4in. Tyres. | Large size.<br>28in. Wheels.<br>3/4in. Tyres |
|----------------------------------------------------------------------------------------------------------|------------------------------------------|-------------------------------------------|----------------------------------------------|
| Not Upholstered, exact as illustration ...                                                               | 80/6                                     | 90/-                                      | 101/3 each.                                  |
| Patent Wired-on India-rubber Tyred Wheels ...                                                            | 2/3                                      | 2/3                                       | 3/6 extra.                                   |
| Ditto ditto 1in. instead of 5/8in. ...                                                                   | 18/-                                     | 18/-                                      | 18/- "                                       |
| Upholstered throughout with Pegamoid Leather, and fitted<br>with regular quality Waterproof Apron ...    | 22/-                                     | 24/9                                      | 29/3 "                                       |
| Aprons only ...                                                                                          | 9/-                                      | 9/-                                       | 9/- "                                        |
| Cushions only ...                                                                                        | 3/-                                      | 3/-                                       | 3/6 "                                        |
| Carpet Mat ...                                                                                           | 2/-                                      | 2/-                                       | 2/- "                                        |
| Brass Collar to take place of Guiding Rod when not in use ...                                            | 9d.                                      | 9d.                                       | 9d. "                                        |
| Ball Bearing Side Wheels, 28in. to Medium size, and 30in. to<br>Large size ; 1in. Tyres ...              | 45/-                                     | 45/-                                      | 45/- "                                       |
| Double Tube Pneumatic Tyred Ball Bearing Side Wheels, to<br>either Medium or Large size ...              | 100/-                                    | 100/-                                     | 100/- "                                      |
| Hoods, detachable, made of fine quality India-rubber Cloth,<br>and large Brass Double Knuckle Joints ... | 90/-                                     | 90/-                                      | 90/- "                                       |
| American Cloth Hoods with Brass Joints, to open ...                                                      | 46/-                                     | 52/-                                      | 58/- "                                       |
| Shafts for Pony, with necessary fittings to attach to guide<br>front in place of guide handle ...        | 50/-                                     | 50/-                                      | 50/- "                                       |

|                                       | Small.<br>14in.<br>30 1/2 in. | Medium.<br>16in.<br>32 1/2 in. | Large size.<br>18in.<br>34 1/2 in. |
|---------------------------------------|-------------------------------|--------------------------------|------------------------------------|
| Width of seat inside ...              |                               |                                |                                    |
| Extreme outside width of carriage ... |                               |                                |                                    |

# Buff Wicker Invalid Carriage.

Ironwork and Wheels nicely Painted and Body Varnished.

## BEST STEEL CEE SPRINGS.

Braced with Stout Leather Straps.

With Royal Spring Self-guiding Front.




FIG. 6

## Best Quality Rubber Tyred Wheels.

NOTE.—Sides of Foot-board of this Body are now made lined, similar to Fig. 8, unless otherwise ordered.

|                                                                                                          | Small.<br>23in. Wheels,<br>$\frac{5}{8}$ in. Tyres. | Medium.<br>26in. Wheels.<br>$\frac{3}{4}$ in. Tyres. | Large size.<br>28in. Wheels.<br>$\frac{3}{4}$ in. Tyres. |
|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------|------------------------------------------------------|----------------------------------------------------------|
| Not Upholstered, exact as illustration ...                                                               | 89/4                                                | 102/-                                                | 112/6 each.                                              |
| Patent Wired-on India-rubber Tyred Wheels ...                                                            | 2/3                                                 | 3/6                                                  | 3/6 extra.                                               |
| Ditto ditto 1in. Tyres instead of $\frac{3}{4}$ in. ...                                                  | 18/-                                                | 18/-                                                 | 18/- "                                                   |
| Cushion only ...                                                                                         | 3/-                                                 | 3/-                                                  | 3/6 "                                                    |
| Carpet only ...                                                                                          | 2/-                                                 | 2/-                                                  | 2/- "                                                    |
| Upholstered throughout with Pegamoid Leather, and fitted<br>with best quality Waterproof Apron ...       | 22/-                                                | 24/9                                                 | 29/3 "                                                   |
| Aprons only ...                                                                                          | 9/-                                                 | 9/-                                                  | 9/- "                                                    |
| Brass Collar to take place of Guiding Rod when not in use ...                                            | 9d.                                                 | 9d.                                                  | 9d. "                                                    |
| Ball Bearing Side Wheels, 28in. to Medium size, and 30in. to<br>Large size ; 1in. Tyres ...              | 45/-                                                | 45/-                                                 | 45/- "                                                   |
| Double Tube Pneumatic Tyred Ball Bearing Side Wheels ...                                                 | 100/-                                               | 100/-                                                | 100/- "                                                  |
| Hoods, detachable, made of fine quality India-rubber Cloth,<br>and large Brass Double Knuckle Joints ... | 90/-                                                | 90/-                                                 | 90/- "                                                   |
| American Cloth Hoods with Brass Joints, to open ...                                                      | 46/-                                                | 52/-                                                 | 58/- "                                                   |
| Shafts for Pony, with necessary fittings to attach to guide<br>front in place of guide handle ...        | 50/-                                                | 50/-                                                 | 50/- "                                                   |

If No. 4A pattern body, same prices.

If No. 12 pattern body, 6/- extra.

|                                       | Small.<br>14in.<br>30 $\frac{1}{2}$ in. | Medium.<br>16in.<br>32 $\frac{1}{2}$ in. | Large size.<br>18in.<br>34 $\frac{1}{2}$ in. |
|---------------------------------------|-----------------------------------------|------------------------------------------|----------------------------------------------|
| Width of seat inside ...              |                                         |                                          |                                              |
| Extreme outside width of carriage ... |                                         |                                          |                                              |

# Buff Wicker Invalid Carriage.

Ironwork and Wheels nicely Painted and Body Varnished.

REGISTERED DESIGN.

**BEST STEEL CEE SPRINGS.**

Hung with Coil Springs, with Self-guiding Front Wheel.



FIG 12

**No. 12—With Patent Wired-on India-rubber Tyred Wheels.**

|                                                                                                                 | Small.<br>23in. Wheels,<br>5/8in. Tyres. | Medium.<br>26in. Wheels,<br>3/4in. Tyres. | Large size.<br>28in. Wheels,<br>3/4in. Tyres. |
|-----------------------------------------------------------------------------------------------------------------|------------------------------------------|-------------------------------------------|-----------------------------------------------|
| Not Upholstered, exact as illustration ... ..                                                                   | 90/-                                     | 105/-                                     | 116/- each.                                   |
| Upholstered throughout with Pegamoid Leather, and fitted }<br>best quality Waterproof Apron ... .. }            | 24/-                                     | 26/9                                      | 31/3 extra.                                   |
| Brass Collar to take place of Guiding Rod when not in use ...                                                   | 9d.                                      | 9d.                                       | 9d. "                                         |
| 1in. Tyres instead of 3/4in. ... ..                                                                             | 18/-                                     | 18/-                                      | 18/- "                                        |
| Double Tube Pneumatic Tyred Ball Bearing Side Wheels ...                                                        | 100/-                                    | 100/-                                     | 100/- "                                       |
| Ball Bearing Side Wheels, 28in. to Medium size, and 30in. to }<br>Large size ; 1in. Tyres ... .. }              | 45/-                                     | 45/-                                      | 45/- "                                        |
| Shafts for Pony, with necessary fittings to attach to guide }<br>front in place of guide handle ... .. }        | 50/-                                     | 50/-                                      | 50/- "                                        |
| Hoods, detachable, made of fine quality India-rubber Cloth, }<br>and large Brass Double Knuckle Joints ... .. } | 90/-                                     | 90/-                                      | 90/- "                                        |

|                                         | Small.<br>14in. | Medium.<br>16in. | Large size.<br>18in. |
|-----------------------------------------|-----------------|------------------|----------------------|
| Width of seat inside ... ..             | 14in.           | 16in.            | 18in.                |
| Extreme outside width of carriage .. .. | 25 1/2 in.      | 27 1/2 in.       | 29 1/2 in.           |

# Buff Wicker Invalid Carriage.

Ironwork and Wheels nicely Painted and Body Varnished.

## BEST STEEL CEE SPRINGS.

Hung with Straps. Self-guiding Front Wheels.




FIG. 8

|                                                                                                               | Medium.      | Large size.        |
|---------------------------------------------------------------------------------------------------------------|--------------|--------------------|
| Not Upholstered, exact as illustration ... ..                                                                 | <b>114/-</b> | <b>126/-</b> each. |
| Patent Wired-on India-rubber Tyred Wheels ... ..                                                              | <b>3/6</b>   | <b>3/6</b> extra.  |
| Cushion only ... ..                                                                                           | <b>3/-</b>   | <b>3/6</b> "       |
| Carpet Mat ... ..                                                                                             | <b>2/-</b>   | <b>2/-</b> "       |
| Upholstered throughout with Pegamoid Leather, and fitted with best quality }<br>Waterproof Apron ... ..       | <b>24/9</b>  | <b>29/3</b> "      |
| Aprons only ... ..                                                                                            | <b>9/-</b>   | <b>9/-</b> "       |
| Brass Collar to take place of Guiding Rod when not in use ... ..                                              | <b>9d.</b>   | <b>9d.</b> "       |
| Ball Bearing Side Wheels, 28in. to Medium size, and 30in. to Large size ; }<br>in. Tyres ... ..               | <b>45/-</b>  | <b>45/-</b> "      |
| Double Tube Pneumatic Tyred Ball Bearing Side Wheels ... ..                                                   | <b>100/-</b> | <b>100/-</b> "     |
| Hoods, detachable, made of fine quality India-rubber Cloth, and large Brass }<br>Double Knuckle Joints ... .. | <b>90/-</b>  | <b>90/-</b> "      |
| If Fig. 12 pattern body ... ..                                                                                | <b>6/-</b>   | <b>6/-</b> "       |

|                                          | Medium. | Large size. |
|------------------------------------------|---------|-------------|
| Width of seat inside ... ..              | 16in.   | 18in.       |
| Extreme outside width of carriage ... .. | 32½in.  | 34½in.      |

# Buff Wicker Invalid Carriage.

Ironwork and Wheels nicely Painted and Body Varnished.

**BEST ELLIPTIC STEEL SPRINGS.**

With Two Front Wheels.




FIG. 9

|                                                                                                             | Medium.      | Large size.        |
|-------------------------------------------------------------------------------------------------------------|--------------|--------------------|
| Not Upholstered, exact as illustration ... ..                                                               | <b>110/-</b> | <b>120/-</b> each. |
| Wired-on instead of Cemented Tyres ... ..                                                                   | <b>3/6</b>   | <b>3/6</b> extra.  |
| Upholstered throughout with Pegamoid Leather, and fitted with Apron ...                                     | <b>24/9</b>  | <b>29/3</b> "      |
| Aprons only ... ..                                                                                          | <b>9/-</b>   | <b>9/-</b> "       |
| Cushion only ... ..                                                                                         | <b>3/-</b>   | <b>3/6</b> "       |
| Carpet Mat ... ..                                                                                           | <b>2/-</b>   | <b>2/-</b> "       |
| 1in. Wheels instead of $\frac{3}{4}$ in. ... ..                                                             | <b>17/6</b>  | <b>17/6</b> "      |
| Ball Bearing Side Wheels, 28in. to Medium size, and 30in. to Large size ;<br>1in. Tyres ... ..              | <b>45/-</b>  | <b>45/-</b> "      |
| Pneumatic Tyred Ball Bearing Back Wheels, etc. ... ..                                                       | <b>100/-</b> | <b>100/-</b> "     |
| Pony Shafts and suitable Ironwork, for attaching to front in place of guide<br>handle ... ..                | <b>50/-</b>  | <b>50/-</b> "      |
| Hoods, detachable, made of fine quality India-rubber Cloth, and large Brass<br>Double Knuckle Joints ... .. | <b>90/-</b>  | <b>90/-</b> "      |

|                                          | Medium.              | Large size.          |
|------------------------------------------|----------------------|----------------------|
| Width of seat inside ... ..              | 16in.                | 18in.                |
| Extreme outside width of carriage ... .. | 27 $\frac{1}{2}$ in. | 29 $\frac{1}{2}$ in. |

# Buff Wicker Invalid Carriage.

Ironwork and Wheels nicely Painted and Body Varnished.

**BEST STEEL CEE SPRINGS BACK AND FRONT.**




FIG. 10 REGISTERED DESIGN.

## The "Alexandria."

**T**HE most comfortable Wicker Carriage made, having Cee Springs back and front. The Carriage hangs on springs free from framework underneath, and is thus very easy and flexible. Mounted on 28in. Wheels, 1in. Tyres, and fully upholstered in Pegamoid, as illustration, including Waterproof Apron.

|             |     |     |     |     |     |    |   |
|-------------|-----|-----|-----|-----|-----|----|---|
| Large size  | ... | ... | ... | ... | £12 | 0  | 0 |
| Medium size | ..  | ..  | ..  | .   | 11  | 10 | 0 |

### EXTRAS.

|                                                                                                   |     |     |     |     |     |     |     |      |
|---------------------------------------------------------------------------------------------------|-----|-----|-----|-----|-----|-----|-----|------|
| Wired-on Tyres (which we recommend)                                                               | ... | ... | ... | ... | ... | ... | ... | 7/6  |
| Best White Rubber Wired-on Tyres, superior made Ball Bearing Wheels                               | ... | ... | ... | ... | ... | ... | ... | 90/- |
| Hoods, detachable, made of fine quality India-rubber Cloth, and large Brass Double Knuckle Joints | ... | ... | ... | ... | ... | ... | ... | 90/- |

# Art Cane Invalid Carriage.

BEST STEEL CEE SPRINGS BACK AND FRONT.




FIG. 11 REGISTERED DESIGN.

## The "Albert."

**S**AME style of Carriage as the "Alexandria," but Art Cane, cream colour, instead of Wicker, very handsome; 28in. Wheels, and fully Upholstered, as illustration.

|             |     |     |     |     |     |    |   |
|-------------|-----|-----|-----|-----|-----|----|---|
| Large size  | ... | ... | ... | ... | £13 | 17 | 6 |
| Medium size | ... | ... | ... | ... | 13  | 7  | 6 |

### EXTRAS.

|                                  |                               |              |        |     |     |     |     |     |      |
|----------------------------------|-------------------------------|--------------|--------|-----|-----|-----|-----|-----|------|
| Wired-on Tyres                   | ...                           | ...          | ...    | ... | ... | ... | ... | ... | 7/6  |
| Best White Rubber, Patent Spring | Wired-on Tyres, superior made | Ball Bearing | Wheels | ... | ... | ... | ... | ... | 90/- |

# Art Cane Invalid Carriage.

Beautiful Design and most Comfortable, very easy to handle.

**BEST STEEL CEE SPRINGS, hung on Stout Leather Straps.**

Self-guiding Front Wheels.



**No. 13 REGISTERED DESIGN.**

**B**EAUTIFULLY made and very handsome in appearance, easily manipulated, and having Four Wheels it is firm for patient to step in, and being made of high-class Rattans, cream colour, it is light in weight. Fully upholstered in Pegamoid, complete with Waterproof Apron.


|                                                                                       |     |     |     |     |     |       |
|---------------------------------------------------------------------------------------|-----|-----|-----|-----|-----|-------|
| Medium size, has 26in. $\times$ $\frac{3}{4}$ in. Patent Wired-on Rubber Tyred Wheels | ... | ... | ... | ... | ... | 200/- |
| Large size, has 28 $\times$ $\frac{3}{4}$ in. ditto                                   | ... | ... | ... | ... | ... | 220/- |

## EXTRAS.

|                                                                                       |     |     |     |     |     |      |
|---------------------------------------------------------------------------------------|-----|-----|-----|-----|-----|------|
| 1in. Tyres (which we recommend) instead of $\frac{3}{4}$ in., to either size          | ... | ... | ... | ... | ... | 21/- |
| Ball Bearing Side Wheels, 28in. to Medium size, and 30in. to Large size ; 1in. Tyres. | ... | ... | ... | ... | ... | 45/- |



# Invalid's Carriage, Movable Leg Rest Attachment.



Registered No. 334226.





FIG. 18 A.

THE above Registered Carriage is designed to meet the requirements of patients requiring to have their legs supported, and who probably later on would not require the support. The Carriage being convertible into an ordinary Invalid's Carriage, does away with the present necessity of using a Spinal Carriage, afterwards to be replaced with an ordinary Carriage.

This Attachment can be supplied with Carriages Figs. 4A, 5, 6, or 8 at 20/- extra to either Medium or Large sizes.

# Patent Improved Trailing Car


(Convertible to an Invalid's Carriage or Bath Chair).



AS A TRAILING CAR.

A most comfortable conveyance, for attachment to either Bicycle or Tricycle.

It is provided with a safety (Patent) Clip, enabling it to be instantly attached or detached, and can easily be adapted as a Wheel Chair to either pull or push by hand, for Promenade or Garden. The Front Wheel is fixed by steer lock when used with Cycle, or the wheel may be entirely detached, if desired, for long journeys.



AS AN INVALID'S CARRIAGE.

## SPECIFICATION.

FRAMEWORK of the best Weldless Steel Tube.

SPRINGS of Sheffield Steel.

WHEELS.—Tangent, Ball Bearings, Pneumatic Tyres.

BODY.—Art Cane (Registered Design).

ATTACHMENT CLIP.—Our Patent Universal Joint, with Safety Lock and Anti-Vibration Spring and Buffer.

FINISH —Stove Enamelled and Nickel-plated Parts.

Cushion and Mat. Also separate Handle for converting to Wheel Chair.

Price complete, 16 Guineas.

## Wicker Commode Chair.

Best quality, Buff Wicker, Varnished, with  
Movable Wooden Seat and Wicker  
Cover, complete with Fixture and Pan **35/-** each.

Ordinary quality, Buff Wicker, and  
Varnished, Round Back, complete with  
Pan ... .. **25/-** "

If Upholstered Cretonne, with Cushion  
(to either quality) ... .. **12/6** extra.




FIG. 40



## Patent Umbrella or Sunshade Holder.

For attachment to Invalid Carriages,  
Garden Chairs, &c. (as illustrated).

**33/-** each.

Price does not include Umbrella.

# Buff Wicker Spinal Invalid Carriages,

Specially adapted for Invalids lying at full length.




FIG. 21 B

## No. 21—On Leaf Springs and Carriage Wheels, 3 to set

|                               |     |     |     |     |     |     |            |
|-------------------------------|-----|-----|-----|-----|-----|-----|------------|
| 3½ feet long inside at bottom | ... | ... | ... | ... | ... | ... | 54/6 each. |
| 4 " " " "                     | ... | ... | ... | ... | ... | ... | 63/- "     |
| 4½ " " " "                    | ... | ... | ... | ... | ... | ... | 71/3 "     |
| 5 " " " "                     | ... | ... | ... | ... | ... | ... | 79/10 "    |
| 5½ " " " "                    | ... | ... | ... | ... | ... | ... | 90/- "     |

## No. 21 A—On Best Quality Steel Elliptic Springs, with 4 Rubber Tyred Wheels.

|                               |     |     |     |     |     |     |            |
|-------------------------------|-----|-----|-----|-----|-----|-----|------------|
| 3½ feet long inside at bottom | ... | ... | ... | ... | ... | ... | 74/3 each. |
| 4 " " " "                     | ... | ... | ... | ... | ... | ... | 90/- "     |
| 4½ " " " "                    | ... | ... | ... | ... | ... | ... | 101/3 "    |
| 5 " " " "                     | ... | ... | ... | ... | ... | ... | 112/6 "    |
| 5½ " " " "                    | ... | ... | ... | ... | ... | ... | 123/9 "    |

## No. 21 B—On Best Steel Cee Springs, hung with Straps, Rubber Tyred Wheels (as illustration).

|                               |     |     |     |     |     |     |            |
|-------------------------------|-----|-----|-----|-----|-----|-----|------------|
| 3½ feet long inside at bottom | ... | ... | ... | ... | ... | ... | 74/3 each. |
| 4 " " " "                     | ... | ... | ... | ... | ... | ... | 90/- "     |
| 4½ " " " "                    | ... | ... | ... | ... | ... | ... | 101/3 "    |
| 5 " " " "                     | ... | ... | ... | ... | ... | ... | 112/6 "    |
| 5½ " " " "                    | ... | ... | ... | ... | ... | ... | 123/9 "    |

If fitted with Bed and Cushion, in either Leather Cloth, or good Cretonne, stuffed Wool,

9/-, 9/6, 10/-, 10/6, 11/- each extra.

If Best Tick, or superior Leather Cloth, stuffed Hair, 16/-, 17/-, 18/-, 19/-, and 20/- each extra.

# Art Cane Spinal Carriage.

SUSPENDED ON CEE SPRINGS. VERY HANDSOME.




FIG. 20

## The "York."

Mounted on 28in. back Wheels, 1in. Tyres, and 23in. Front, with  $\frac{3}{4}$ in. Tyres, fully upholstered, and with Mattress and Waterproof Apron.

|                              |     |     |     |   |   |       |
|------------------------------|-----|-----|-----|---|---|-------|
| 4 feet long inside at bottom | ... | ... | £11 | 0 | 0 | each. |
| 5 " " "                      | "   | ... | 11  | 5 | 0 | "     |
| 5½ " " "                     | "   | ... | 12  | 0 | 0 | "     |

### EXTRAS.

|                                                                                                                                                                |     |     |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|------|
| Fitted with Adjustable Back Rest, enabling patient to lie or sit at any angle...                                                                               | ... | ... | 15/- |
| Fitted with Cane and Bamboo Stretcher Tray, similar to illustration Fig. 60, enabling patient to be lifted into carriage (stretcher remaining in carriage) ... | .   | ... | 45/- |




FIG. 30

## Self-Propelling or Merlin Chairs.

Windsor Pattern.

Mounted on Wired-on India-  
rubber Tyred Wheels  
with hand rims, var-  
nished, and folding foot  
rest ... .. 90/- each.

If with superior wheels ... 97/6 "

If with adjustable leg rest,  
extra 10/6 "

## High-class Cane and Wood Merlin Chair.

A Superior Chair with cane seat and  
back, high-class wood, Sliding Foot Rest,  
Wired-on India-rubber Tyres and polished  
hand rims.

FIG. 31 ... .. £8 0 0

If with adjustable leg rest, 10/6 extra.




FIG. 31

Also similar style of Chair, cane seat and back, birch, polished walnut colour, fitted with Sliding Foot-board,  
hand rims, etc., as illustration, but of lighter make, £6.



FIG. 32

## Buff Wicker Self-Propelling or Merlin Chair.

Light, easy and durable, Upholstered in Cretonne, with Hand Rims firmly attached to Rubber Tyred (Wired-on) Bicycle Wheels. Folding Foot Rest.

Best Quality ... 110/- each complete.

Lighter Wheels ... 97/- " "

## Invalid Merlin Chair.

With Hand Rims, Carpeted and Sliding Foot-board and Arm Pads, Cane Seat and Back, light and strong, on patent Wired-on Tyred Wheels.

£5 12 6




FIG. 33

## Invalid's Cane Carrying Chair.




FIG. 115

Superior light make, very strong and convenient to carry Invalids up and down stairs or on the level, with sliding back handle ...

24/- each.

Lighter make, with fixed back handle ... ..

22/- "

## Austrian Bent-Wood Carrying Chair.

Cane Seat and Back.

Very light and strong, and made to fold up, occupying very little space when not in use ... ..

45/- each.




FIG. 116

# Body and Limb Bed Frames.

To prevent the bed clothes touching any injured part of Body or Limbs.

MADE LIGHT OF BAMBOO AND CANE.




FIG. 70

|           |     |     |     |     |     |           |
|-----------|-----|-----|-----|-----|-----|-----------|
| For Limbs | ... | ... | ... | ... | ... | 4/6 each. |
| " Body    | ... | ... | ... | ... | ... | 7/6 "     |

## The "X.L. All" Invalid's Table.

Note the ease and comfort in which the patient is able to take a meal.

Observe the feet of the Stand are under the bed, and out of the way.

PRICE: 35/- each.

With Walnut-finished Top and Iron Stands, strongly made and mounted on four castors, so that it can be easily moved.

It can be used in five positions:—

Across the Bed or Couch;

Alongside the Bed;


Tilted as a Screen, horizontal position;

" " " perpendicular position;

" " " for reading position.




## Walking-Stick Chairs.



To Fold ... 12/9 each.

## Bent Wood Leg Rest.



Light and Strong ... 16/6 each.

## Spring Bed Rest.

POLISHED PITCH-PINE FRAME.  
WOVEN-WIRE MESH.




FIG. 294

|              |     |     |     |     |            |
|--------------|-----|-----|-----|-----|------------|
| Without Arms | ... | ... | ... | ... | 11/6 each. |
| With Arms    | ... | ... | ... | ... | 15/6 "     |

No. 293.—Special Cheap Line, 6/- each.

## Bed Rest.

Adjustable to four heights.

MADE VERY LIGHT AND DURABLE  
OF CANE AND MALACCA.



FIG. 80

Size, 20 x 25in. ... 11/3 each.

# Deck Chair.

Very light and easy, and most suitable for Invalids.

MADE OF BEST QUALITY CANE.




FIG. 50

Combination Lounge Chair, back adjustable to four positions, with glass and bottle holders; leg part slides under seat, thus converting it into an easy chair ... .. 42/- each.

## Convertible Cane Couch or Stretcher Tray.





FIG. 60

|                                                                                                       |        |            |
|-------------------------------------------------------------------------------------------------------|--------|------------|
| Made very strong and light, with legs to fold up when required as stretcher. Complete as illustration | ... .. | 57/9 each. |
| Stretcher part only, without legs                                                                     | ... .. | 41/9 "     |

Above price is for 5ft. 6in. long x 20in. wide inside. Any length and width made at proportionate prices.

# Buff Wicker Invalid Pony Carriage,

Best Quality Wood Wheels.



**S**PECIALLY designed for the use of Invalids. Mounted on 34in. back Wheels, Elliptic Steel Springs (back and front), and very easy of access, being close to the ground.

|                      |     |     |     |     |    |   |
|----------------------|-----|-----|-----|-----|----|---|
| To carry one person  | ... | ... | ... | £12 | 15 | 9 |
| To carry two persons | ..  | ... | ... | 15  | 0  | 0 |

Prices quoted for above, with Rubber Tyred Bicycle Wheels, on receipt of application.

## Patent Invalid Self-Propelling Chair,



**M**ADE of Best Quality Buff Wicker, Varnished. Frame of Best Weldless Steel Tubing. Tangent Wheels, with Ball Bearing Hubs and Pneumatic Tyres. All Working Parts fitted with Ball Bearings, including the Handles. The Steering is effected in two ways; a comfortable rest is provided, which fits the operator's back. This rest is connected to the steering wheel at the back of the chair, and by simply leaning to one side or the other, the chair is steered in any direction required.

PRICE ... £37 17 6

For further particulars and other illustrations, see separate leaflet.



